



### Camry CR 2821 Hair clipper for pets

Generuota 2025-06-13

| Name                               | Description                                      |
|------------------------------------|--------------------------------------------------|
| Interior light                     | Yes                                              |
| Output interface                   | Output sockets: 2 pcs x C13, 1 pc x german Shuko |
| Freezing capacity                  | No kg/24h                                        |
| Wooden                             | 1860.00 g                                        |
| Output power capacity              | 1500 VA                                          |
| Bottles capacity                   | 24                                               |
| Power supply                       | 1 x AA W                                         |
| Number of compressors              | 1                                                |
| WEE classification                 | CL109:5:2017-04-01                               |
| Value counting                     | No                                               |
| Automatic Voltage Regulation (AVR) | Yes                                              |
| Auto power off                     | Yes                                              |

| Name                              | Description                             |
|-----------------------------------|-----------------------------------------|
| Frequency range                   | AM/FM radio, PLL radio                  |
| Material                          | All-glass Schott Ceran Suprema® surface |
| Gross height (mm)                 | 215 mm                                  |
| Currencies available              | All                                     |
| Typical backup time at full load  | 15 min                                  |
| Voltage                           | 220-240 V                               |
| Output connections                | male x 2 pcs                            |
| Storage time during power failure | No h                                    |
| Paper/Pasteboard                  | 80.00 g                                 |
| Output operation voltage (max)    | 230 V                                   |
| Power supply type                 | 1 x AA                                  |
| Non-slip feet                     | Yes                                     |
| Country of origin                 | China                                   |
| Filtering                         | Yes                                     |
| Waveform                          | Sine                                    |
| Domino                            | Yes                                     |
| Weight                            | 570 g                                   |

| Name                          | Description           |
|-------------------------------|-----------------------|
| Capacity                      | 1500 VA               |
| Gross width (mm)              | 70 mm                 |
| Detection types               | Color                 |
| Battery replacement alarms    | Audible               |
| AC input voltage              | 230 V                 |
| Type                          | Money Checking Pencil |
| Diagonal                      | 106 "                 |
| Gross depth master carton     | 275 mm                |
| Input operation voltage (max) | 290 V                 |
| Weight                        | 11.8 kg               |
| RoHS compliance               | Yes                   |
| Revolutions                   | 63 - 75 RPM           |
| Alarm                         | No                    |
| Surge protection              | Yes                   |
| Response time                 | 6 ms                  |
| Width                         | 40 cm                 |
| Producer product family       | Wine cooler           |

| Name                            | Description                                    |
|---------------------------------|------------------------------------------------|
| Embeeded battery                | Yes                                            |
| Case colour                     | White                                          |
| Number of Schuko outputs        | 4                                              |
| Battery technology              | Sealed Lead Acid (VR                           |
| Number of burners/cooking zones | 2                                              |
| Functions                       | Hold function                                  |
| Gross width master carton       | 253 mm                                         |
| Number of shelves               | 4                                              |
| Control panel                   | Sensor-Touch                                   |
| Material                        | MaxWhite                                       |
| Compatible products             | DT 990; DT 990 Old; DT 990 Edition; DT 990 PRO |
| Alarm function                  | Sounding every 0,5 sec                         |
| UPS topology                    | Line-Interactive                               |
| Timer                           | 60 min                                         |
| Height                          | 87.5 cm                                        |
| Form factor                     | Mini tower                                     |
| Classification of battery       | CL126:NE:2016-12-09                            |

| Name                          | Description         |
|-------------------------------|---------------------|
| Gender                        | Male/Female         |
| AC outlets quantity           | 4                   |
| Control position              | Front               |
| Certification                 | GS, CE              |
| Noise level (max)             | 41 dB               |
| Tare weight master carton     | 0.218 kg            |
| Output power                  | 900 W               |
| Rotisserie                    | No                  |
| Defrost function              | Not specified       |
| Shelves material              | Wood                |
| Volume (m3)                   | 0.00 m <sup>3</sup> |
| Number of batteries supported | 2                   |
| Audible alarm(s)              | Yes                 |
| Pan detection                 | Yes                 |
| Depth                         | 49.5 cm             |
| Boost function                | Yes                 |
| Composition of battery        | CL127:KT:2016-12-09 |

| Name                          | Description               |
|-------------------------------|---------------------------|
| Connector 1                   | Power plug type C         |
| AC outlet types               | Type F (Schuko)           |
| Power                         | 1800 W                    |
| Frame type                    | Face cut                  |
| Maximum cable length          | 3 m m                     |
| Gross height master carton    | 313 mm                    |
| Input operation voltage (min) | 162 V                     |
| Aspect ratio                  | 16:9                      |
| Battery voltage               | 12 V                      |
| Door hinge                    | Right                     |
| Plastic (No PET)              | 10 g                      |
| Package height                | 27.5 cm                   |
| Hotplate                      | No                        |
| Display technology            | LED                       |
| Frequency range               | AM/FM radio, PLL radio Hz |
| Noise emission class          | C                         |
| Type of battery               | Accumulator               |

| Name                            | Description                                                           |
|---------------------------------|-----------------------------------------------------------------------|
| Built-in display                | Yes                                                                   |
| Interior dimensions (W x D x H) | 431x340x309 mm                                                        |
| Cable length                    | 3 m m                                                                 |
| Type                            | Hair clipper for pets                                                 |
| Gross weight                    | 0.69 kg                                                               |
| Net weight master carton        | 3.75 kg                                                               |
| Output frequency regulation     | 60 / 50 Hz                                                            |
| Control type                    | Touch                                                                 |
| Frequency range                 | AM/FM radio, PLL radio GHz                                            |
| Suitable for                    | Banknotes                                                             |
| Accessories included            | Grill rack, rotisserie, baking tray, tong for grill rack / baking tra |
| Package width                   | 19 cm                                                                 |
| Temperature range (zone 1)      | 5-22 Â°C                                                              |
| Display                         | LCD                                                                   |
| Colour of product               | Black                                                                 |
| Number of power levels          | 9                                                                     |
| Package depth                   | 39 cm                                                                 |

| Name                             | Description           |
|----------------------------------|-----------------------|
| Number of electric cooking zones | 2                     |
| Installation compartment depth   | 52.5 cm               |
| AC input frequency               | 50 Hz                 |
| Colour of product                | Stainless steel/Black |
| Net weight                       | 0.61 kg               |
| Viewable screen width (W)        | 235 cm                |
| Connected load                   | 80 W                  |
| Easy to clean                    | Yes                   |
| Dimensions (WxDxH)               | 632x473x435 mm        |
| Number of speeds                 | 1                     |
| Temperature                      | 5-22 Â°C              |
| Battery low indication           | Sounding every sec    |
| Connector(s)                     | 4 x schuko outlets    |
| Display                          | Digital               |
| LED indicators                   | Yes                   |
| Warranty                         | 24 month(s)           |
| Operating temperature (T-T)      | 0 - 40 Â°C            |

| Name                              | Description                                                                 |
|-----------------------------------|-----------------------------------------------------------------------------|
| Cooling type                      | Compressor technology                                                       |
| Installation compartment height   | 44.3 cm                                                                     |
| Annual energy consumption         | 135 kWh                                                                     |
| Type                              | HDMI male-male flat cable                                                   |
| Producer product name             | CR 2821                                                                     |
| Viewable screen height (H)        | 132 cm                                                                      |
| Minimum system requirements       | Software is compatible with Windows Vista, Windows 7/8, Windows 2008 server |
| Timer                             | Yes                                                                         |
| Battery type                      | 9 AH                                                                        |
| Case design                       | Freestanding                                                                |
| Accessories included              | with plug                                                                   |
| Oven type                         | Electric                                                                    |
| Number of temperature zones       | 2                                                                           |
| On/off switch                     | Yes                                                                         |
| Internal                          | No                                                                          |
| PC connection                     | male x 2 pcs                                                                |
| Operating relative humidity (H-H) | 0 - 90 %                                                                    |

| Name                           | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|--------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Inner colour                   | Black                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Installation compartment width | 55.7 cm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Energy efficiency class        | G                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Other features                 | Titanium head with ceramic blade; Precise hair cut adjustment in the ring; 4 comb attachments: 3, 6, 9, 12 mm; Cord or cordless operation; Set includes oil, brush and charger.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| WEEE tax                       | Yes                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Extra large fruit input        | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Nominal output voltage         | 220 V                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Child lock                     | Yes                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Special features               | High-quality wine storage with compressor technology, Two separate temperature zones, individually adjustable for white and red wine (WineSafe only one temperature zone), Low-vibration technology gives the wine the calm environment it needs, Active fan for a very even temperature per zone, Storage capacity for up to 24, Insulating glass with UV- filter, protects against loss of aroma, Excellent thermal insulation for energy-efficient operation, Electronically adjustable temperature from 5 Â° to 22 Â°C, Blue actual cooling zone temperature LED display, On-demand interior illumination, Timeless design with elegant stainless steel front and double-glass insert, Ergonomic door handle, Ball-bearing supported pull-out trays with wooden storage racks, Quiet operation |
| Hob type                       | Electric                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Tare weight (kg)               | 0.08 kg                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Oven size                      | 42 L                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Battery recharge time          | 6 h                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Lamp type                      | LED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |

| Name                             | Description                             |
|----------------------------------|-----------------------------------------|
| Product type                     | Free standing                           |
| Climate class                    | ST                                      |
| TI weight (kg)                   | 0.033 kg                                |
| Power supply input frequency     | 50/60 Hz                                |
| Auto-off timer cooks food safely | Yes                                     |
| Power                            | 35 W                                    |
| Type                             | Turntable with radio                    |
| Packing quantity                 | 1.00 pc(s)                              |
| Number of detection points       | 1                                       |
| Power protection features        | Overcharge, Overload                    |
| Residual heat indicator          | Yes                                     |
| Dimensions (WxDxH)               | 20 x 27 x 6 cm mm                       |
| Top surface type                 | All-glass Schott Ceran Suprema® surface |
| Gross depth (mm)                 | 280.00 mm                               |
| Impedance                        | 250 î©                                  |
| Typical backup time at half load | 8 min                                   |